Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A compound of formula (I)

$$R^3$$
 R^3
 R^4
 R^5
 R^5
 R^5
 R^5

in which:

-n is 1, 2 or 3;

- R^a is a C₁-C₆-halogenoalkyl having 1 to 5 halogen atoms;
- each substituent X is is independently selected from the group consisting of a hydrogen atom, a halogen atom, a C_1 - C_6 -alkyl, and a C_1 - C_6 -halogenoalkyl;
- R¹, R², R³ and R⁴ are independently selected from the group consisting of a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, an amino group, a sulfanyl group, a formyl group, a formyloxy group, a formylamino group, a carboxy group, a carbamoyl group, a N-hydroxycarbamoyl group, a carbamate group, a (hydroxyimino)-C₁-C₆-alkyl group, a C₁-C₆-alkyl, a C₂-C₆-alkenyl, a C₂-C₆-alkynyl, a C₁-C₆-alkylamino, a di-C₁-C₆-alkylamino, a C₁-C₆-alkylamino, a C₁-C₆-halogenoalkyl having 1 to 5 halogen atoms, a C₁-C₆-halogenoalkoxy having 1 to 5 halogen atoms, a C₁-C₆-alkylsulfanyl, a C₁-C₆-halogenoalkylsulfanyl having 1 to 5 halogen

atoms, a C2-C6-alkenyloxy, a C2-C6-halogenoalkenyloxy having 1 to 5 halogen atoms, a C3-C6alkynyloxy, a C₃-C₆-halogenoalkynyloxy having 1 to 5 halogen atoms, a C₃-C₆-cycloalkyl, a C₃-C₆-halogenocycloalkyl having 1 to 5 halogen atoms, a C₁-C₆-alkylcarbonyl, a C₁-C₆halogenoalkylcarbonyl having 1 to 5 halogen atoms, a C₁-C₆-alkylcarbamoyl, a di-C₁-C₆ $alkylcarbamoyl,\ a\ N-C_1-C_6-alkyloxycarbamoyl,\ a\ C_1-C_6-alkoxycarbamoyl,\ a\ N-C_1-C_6-alkyl-C_1-Alkyloxycarbamoyl,\ a\ N-C_1-C_6-alkyl-C_1-Alkyloxycarbamoyl,\ a\ N-C_1-C_6-alkyl-C_1-Alkyloxycarbamoyl,\ a\ N-C_1-C_6-alkyl-C_1-Alk$ C_6 -alkoxycarbamoyl, a C_1 - C_6 -alkoxycarbonyl, a C_1 - C_6 -halogenoalkoxycarbonyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylcarbonyloxy, a C_1 - C_6 -halogenoalkylcarbonyloxy having 1 to 5 halogen atoms, a C₁-C₆-alkylcarbonylamino, a C₁-C₆-halogenoalkylcarbonylamino having 1 to 5 halogen atoms, a C₁-C₆-alkylaminocarbonyloxy, a di-C₁-C₆-alkylaminocarbonyloxy, a C₁-C₆alkyloxycarbonyloxy, a C₁-C₆-alkylsulphenyl, a C₁-C₆-halogenoalkylsulphenyl having 1 to 5 halogen atoms, a C₁-C₆-alkylsulphinyl, a C₁-C₆-halogenoalkylsulphinyl having 1 to 5 halogen atoms, a C₁-C₆-alkylsulphonyl, a C₁-C₆-halogenoalkylsulphonyl having 1 to 5 halogen atoms, a benzyl, a benzyloxy, a benzylsulfanyl, a benzylsulfinyl, a benzylsulfonyl, a benzylsulfonyl, a benzylsulfonyl, phenoxy, a phenylsulfanyl, a phenylsulfinyl, a phenylsulfonyl, a phenylamino, a phenylcarbonylamino, a 2,6 dichlorophenyl-carbonylamino group, and a phenyl group; or R¹ and R² may form together a cyclopropyl, a cyclobutyl, a cyclopentyl or a cyclohexyl;

with the proviso that when three of the four substituents R¹, R², R³ and R⁴ are a hydrogen atom, then the fourth substituent is not a hydrogen atom;

- R^5 is selected from the group consisting of a hydrogen atom, a cyano group, a formyl group, a hydroxy group, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkoxy, a C_1 - C_6 -halogenoalkoxy having 1 to 5 halogen atoms, a C_3 - C_6 -cycloalkyl, a C_3 - C_6 -

halogenocycloalkyl having 1 to 5 halogen atoms, a C_2 - C_6 -alkenyl, a C_2 - C_6 -alkynyl, a C_1 - C_6 -alkyl, a C_1 - C_6 -alkylamino- C_1 - C_6 -alkyl, a C_1 - C_6 -alkylamino- C_1

- Het represents a heterocycle of the structure

Het being linked by a carbon atom;

as well as its salts, N-oxides, metallic complexes, metalloidic complexes and optically active isomers.

- 2. (Previously Presented) The compound of claim 1 wherein n is 1 or 2.
- 3. (Previously Presented) The compound of claim 1 wherein X is a halogen atom.

 Page 6 of 18

- 4. (Previously Presented) The compound of claim 3 wherein X is chlorine.
- 5. (Previously Presented) The compound of claim 1 wherein R^a is -CF₃.
- 6. (Previously Presented) The compound of claim 1 wherein the 2-pyridyl is substituted in the 3- and/or in the 5-position.
- 7. (Previously Presented) The compound of claim 6 wherein the 2-pyridyl is substituted in the 3-position by X and in the 5-position by R".
- 8. (Previously Presented) The compound of claim 1 wherein the 2-pyridyl is substituted in the 3-position by -Cl and in the 5-position by -CF₃.
- 9. (Previously Presented) The compound of claim 1 wherein R¹ and R² are independently selected from the group consisting of a hydrogen atom, a halogen atom, a cyano group, a hydroxy group, a C₁-C6-alkyl, a C₁-C6-halogenoalkyl having 1 to 5 halogen atoms, a C₂-C6-alkenyl, a C₁-C6-alkoxy, a C₁-C6-alkylsulfanyl, a C₁-C6-alkylsulfanyl, a C₁-C6-alkylsulfinyl, a C₁-C6-alkoxycarbonyl, a C₁-C6-alkylcarbonylamino, a C₁-C6-alkoxycarbonyloxy, a C₁-C6-alkoxycarbonylamino, and a phenyl group.

- 10. (Previously Presented) The compound of claim 9 wherein R¹ and R² are independently selected from the group consisting of a halogen atom, a C₁-C₆-alkyl, a C₁-C₆-halogenoalkyl having 1 to 5 halogen atoms, and a C₁-C₆-alkylcarbonylamino.
- 11. (Previously Presented) The compound of claim 1 wherein R^3 and R^4 are independently selected from the group consisting of a hydrogen atom, a halogen atom, a cyano group, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, a C_1 - C_6 -alkylcarbonylamino, and a phenyl group.
- 12. (Previously Presented) The compound of claim 11 wherein R^3 and R^4 are independently selected from the group consisting of a halogen atom, a C_1 - C_6 -alkyl, a C_1 - C_6 -halogenoalkyl having 1 to 5 halogen atoms, and a phenyl group.
- 13. (Previously Presented) The compound of claim 1 wherein R⁵ is selected from the group consisting of a hydrogen atom, and a C₃-C₇-cycloalkyl.
- 14 15 (Canceled)
- 16. (Currently Amended) A process for the preparation of a compound of formula (I) as defined in claim 1, which comprises reacting a 2-pyridine derivative of the formula (II) or one of its salts:

with a carboxylic acid derivative of the the formula (III)

in which:

- L^2 is a leaving group selected from the group consisting of a halogen atom, a hydroxyl group, - OR^6 , - $OCOR^6$, R^6 being a C_1 - C_6 alkyl, a C_1 - C_6 haloalkyl, a benzyl, 4-methoxybenzyl, pentafluorophenyl or a group of formula

in the presence of a catalyst and, if L^2 is a hydroxyl group, in the presence of a condensing agent.

17. (Withdrawn-Currently Amended) The process of claim 16 wherein R⁵ is a hydrogen atom and the process is completed by a further step according to the following reaction scheme:

in which:

- L⁵ is a leaving group selected from the group consisting of a halogen atom, a 4-methyl phenylsulfonyloxy or a methylsulfonyloxy; comprising the reaction of a compound of formula (Id) with a compound of general formula (XXII) to provide a compound of formula (I).

- 18. (Previously Presented) A fungicidal composition comprising an effective amount of a compound according to claim 1 and an agriculturally acceptable support.
- 19. (Previously Presented) A method for combating the phytopathogenic fungi of crops, characterised in that an effective and non-phytotoxic amount of a composition according to claim 18 is applied to the plant seeds or to the plant leaves and/or to the fruits of the plants or to the soil in which the plants are growing or in which it is desired to grow them.